

BPM FOR DATA EXCHANGE


Authentication can be completed using direct URL


<https://hub.effectiff.net/calls/script.php>

<https://hub.effectiff.net/calls/logs.json>

user1/u\$VL9P,b

```
curl -u 'user1/u$VL9P,b' https://hub.effectiff.net/calls/logs.json
```





EFFECTIFF AS A VENDOR

In the `global_lists` table make a list with id 20. This list holds the configuration of 3rd party providers.

In the `global_lists_items` table make an entry for Effectiff using the following 3 parameters. The rest of the fields can be left as default.

Field	Content	Type
listId	20	int
name	effectiff	string
config_json	<pre>{ "configuration": { "connection": { "email": "effectiffsnotificationsinbox@effectiff.com", "host": "173.0.156.178", "user": "sinterpreter", "password": "staSPe8e", "remoteDocument": "/home/sinterpreter/logs/{partner_key}/data.gz", "localDocument": "/home/si/import/{path}/data-effectiff.gz" } } }</pre>	blob

Under TOOLS AND SETTINGS > VENDOR CENTER > Vendor of choice >GENERAL a new option is added to generate a custom partner key.

After key is generated, an e-mail notification is sent to the email address listed under connection key in the config_json field. The content of the e-mail provides instructions to the 3rd party provider on activating new

account.

Confirmation e-mail is sent to the user who generated the key. Key is added to the vendor profile under config_json store field.

```
{
  "configuration": {
    "connector": {
      "partnerKey": "a5f8d9a0-2e7a-4eee-9508-584af9f983b2",
      "editDateTime": "2021-09-20 12:15:14 PM",
      "editUID": null,
      "createUID": "1708",
      "createDateTime": "2021-06-16 08:38:14"
    }
  }
}
```

🔄Revision #10

★Created Sat, May 22, 2021 12:12 AM by Dennis Ayzin

✎Updated Fri, Jun 17, 2022 1:35 PM by Dennis Ayzin