

REPORTS

Method	Url	Filters	
GET	/api/route	<div>startDate=YYYY-mm-dd</div> <div>endDate=YYYY-mm-dd</div> <div>accountId=[array of ids]</div> <div>vendorId=[array of ids]</div> <div>serviceId=[array of ids]</div>	Required Required Optional Optional Optional

JS:

```
generateAndDownloadPDF(  
  {  
    vendorId:[1],  
    accountId:[54,55],  
    service:66,  
    startDate:"2023-05-06",  
    endDate:"2023-03-02"  
  }  
)
```

html:

```
<head>  
  <link rel="stylesheet" href="https://cdn.scheduleinterpreter.com/flow/css/ol.css" />  
  <link rel="stylesheet" type="text/css"  
href="https://platform.scheduleinterpreter.com/css/platformUI/font.css">  
  
  <script src="https://cdn.scheduleinterpreter.com/flow/js/jspdf.umd.min.js"></script>  
  <script src="https://cdn.scheduleinterpreter.com/flow/js/html2canvas.js"></script>  
  <script src="https://cdn.scheduleinterpreter.com/flow/js/pdf-lib.v1.4.0.min.js"></script>  
  <script src="https://cdn.scheduleinterpreter.com/flow/js/download.v1.4.7.js"></script>  
  <script src="https://cdn.scheduleinterpreter.com/flow/js/ol.v6.6.1.js"></script>  
</head>  
  
<body>  
  
<div id="processMapText">process maps 0 - n/a</div>  
  <div class="progress-container" style="width: 100%; background-color: #f1f1f1; border-radius: 5px;">  
    <div class="progress-bar" id="mapProgressBar"  
      style="height: 10px;background-color: #4CAF50; width: 0%; transition: width 0.5s ease-in-out;border-  
radius: 5px;">  
    </div>  
  </div>  
  <div id="processPdfText">process creating pdf 0 - n/a</div>  
  <div class="progress-container" style="width: 100%; background-color: #f1f1f1;border-radius: 5px;">  
    <div class="progress-bar" id="pdfProgressBar"  
      style="height: 10px;background-color: #4CAF50; width: 0%; transition: width 0.5s ease-in-out;border-  
radius: 5px;">  
    </div>  
  </div>  
</body>
```

1. <https://platform.scheduleinterpreter.com/api/route?eventId=229605,229611>

```
3 options (Multiple events in the same day)  
1. from home to event (First) - */route?action=report&eventId=home,228802  
2. from event to event - */route?action=report&eventId=228802,228806  
3. from event(Last) to home - */route?action=report&eventId=228806,home  
  
1 options (Single event in the same day)  
portal to portal = home to event
```

```
3. from event(Last) to home - */route?action=report&eventId=228806,home
order by starttime estimated

//startDate
//endDate
```

SQL

Option 1:

```
SELECT
  id AS eventId,
  interpreting.lat AS dLat,
  interpreting.lon AS dLon,
  userContact.lat AS oLat,
  userContact.lon AS oLon
FROM interpreting, userContact
WHERE interpreting.interpID = userContact.userID
AND interpreting.interpID <> 0
AND interpreting.lat <> 0
AND interpreting.lon <> 0
```

Option 2:

```
SELECT
  id,
  dateTime,
  lon,
  lat
FROM
  bestinterp.interpreting
WHERE
  id in (228830, 228813)
ORDER BY dateTime ASC;
```

Option 3.

```
SELECT
  id AS eventId,
  interpreting.lat AS oLat,
  interpreting.lon AS oLon,
  userContact.lat AS dLat,
  userContact.lon AS dLon
FROM interpreting, userContact
WHERE interpreting.interpID = userContact.userID
AND interpreting.interpID <> 0
AND interpreting.lat <> 0
AND interpreting.lon <> 0
```